

A

Catalogue.

OF


INSECTS

OF

PENNSYLVANIA.

By FRED. VAL. MELSHEIMER,
Minister of the Gospel.

PART FIRST.



HANOVER, YORK COUNTY:
Printed for the Author, by W. D. Lepper.

1806.

8

B.P. Mann,

from the Melshimer Library, 1875.

Presented to Eugene A. Schwarz,
as a token of friendship and esteem.

3 Nov. 1892.

B. Pickman Mann

Schwarz 1895. (Proc Ent Soc Wash. vol III. p. 134.)
says this copy was the one used and annotated by
the author, (Fred. Vol. Meldeimer) who inserted
numerous additions and comments. To which
his son, J.F. Meldeimer, the correspondent of
Thos Say, has further added. - the latest
of these additions dating from 1825. - but
that a few notes and an index written
previous to 1834 are in the hand of Dr.
F E Meldeimer.

H S Barber Mar. 1935

1832

2000 ft. 1000 ft.

1000 ft. 1000 ft.

Introduction.

I hereby offer to the Friends of Natural History a Catalogue of Insects, in the Collection of which I have spent my Hours of Recreation for some Years past. To the best of my Knowledge I have but few Predecessors in the United States in this Undertaking. For this Reason I may calculate on the Indulgence of the experienced Naturalist ; in case some slight Errors should be found in it.—It is an undeniable Fact, that Entomology has been considerably extended by American Insects ; but yet there are many non-descript Genera and Species, to be met with by an ob-

serv-

servant Naturalist, which fully repay the Trouble of his Exertions. Hence arise the urgent Requests, and Invitations of European Naturalists ; hence the ardent Desire to possess American Insects : and this is likewise the strongest Excitement for American Entomologists to make themselves more intimately acquainted with the Productions of their Country. Should the present Undertaking meet the Approbation of the Friends of Natural History in the United States, then this Catalogue will be continued from Time to Time.

THE Subscriber at the same Time is willing, if approved of, to exchange such Insects, as he possesses in duplo, for others which are wanting in his Collection. Such

as

as he has but one Subject of, are marked — thus — all others not so marked may be had in Exchange. Should there be any Friends of Natural History, who would wish for a Collection of Insects, I am proposed to supply them with *one Subject* of each Species at the Rate of *Five Dollars* per Hundred.

IN the Classification of my Collection I have followed the System of Fabricius; although I wish it to be known, that I am much indebted for the Arrangement relative to Classification to the Instructions of Professor KNOCH in Brunswick, in Germany, with whom I have corresponded for many years past. In the Catalogue his Suggestions will be found marked with the

Let-

Letter K. With Pleasure I should have made some Observations on, and given a short Description of some of the most important Subjects, if Time and other Occupations had permitted. Probably it may yet be done in a Supplement to the Catalogue now contemplated to be published.

Hanover, York County & State of Pennsylvania, August 1806.

FRED. VAL. MELSHEIMER,
Minister of the Gospel.

Eleutrata.

I. LUCANUS. Lin.

- 1 **E**laphus, Fabr. et *hafim*
2 Capreolus, Fabr. Lin. *Dama* Fabr.
3 Parallelus, K. S. et *hafim*
4 Quercicola.
5 Frontosus, K. *piceus* Web. et *hafim*.
6 Platycerus. *Quercus* Web. *securidens* S.

II. PASSALUS. Fabr.

- 7 Interruptus. Fabr. *cornutus* Fabr.
8 Barbatus, K: — *est advene*

III. SCARABAEUS.

A SCUTELLATI.

a *Thorace cornuto*.

9 Tityus, Fabr. —

odontatus 10 Quadridens* *cephalus* Olio *faretus* Fabr.
Tricornis, K.

b *Thorace inermi capite cornuto*.

Scareb. L. 11 Jamaicensis, Fabr. Drury *Sextrus* Fabr.
a relietus (Scareb.) Say J. 5. 194.

* Differt a quadridente Indico.

c Thorace, capiteque inermi.

12 Scaber, Fabr. —

13 Herculeanus. —

Geotrupes Lat. 14 Splendidus, Fabr. ♂

Gecto. 15 Excrementi, K. ♂ *Blackburni* ♂

Gecotr. 16 Miarophagus. K. ♂

17 Juvencus, Fabr. *gibbosus* Panzer.

Scarab. Lat. 18 Microcephalus. *euniculus* Fabr.
Juvenca, K.

19 Pensvallensis. —

20 Oblongus, K. ♂ *H.*

21 Bicolor, K. ♂

22 Stercoreus. — *terminalis* ♂.

23 Dimidiatus. —

24 Lutulentus. K.

25 Femoratus. —

26 Fimosus, K. *femoralis* ♂. an 21

27 Truncatus.

Cœnosus, K.

28 Opacus. —

an 275

29 Tuberclatus.

Morio, Helwig. *severi* Sturm

30 Inquinatus, Kugelan.

31 Tesselatus, K.* *Serval* ♂

32 Vittatus. ♂. J. 5. 191.

33 Ruricola: —

34 Fimetarius. — *tenella* ♂

* Veris prænuntius sed fallax.

- Sect. A. b.
dii
- | | | |
|----|---|-----------------------|
| 35 | Copronymus, K. — | |
| | Rubicundus. | |
| 36 | Strigatus, K. — | S. an 22 ^o |
| 37 | Erytropterus. — | Wanting. |
| 38 | Bubulus. — | |
| 39 | Koprinus. — | |
| 40 | Bovinus. — | an 36 ^o |
| 41 | Fulvus. — | |
| | Sturin. | |
| | Stercorosus, K. | an 26 ^o |
| 42 | Striatulus. <i>Trox striatulus</i> Say J. S. 192. 1 | |
| 43 | Imbricatus, K. | |

B EXSCUTELLATI.

a Thorace cornuto.

- | | | |
|-------------------|----|---|
| <i>Lepros</i> | 44 | Anaglypticus, K. <i>♂ H</i> |
| <i>Copris</i> | 45 | Ammon, Fabr: <i>♂</i> |
| <i>onthophaga</i> | 46 | Hecate, Panzer. <i>latebrosus</i> Fabr. |
| <i>onthophaga</i> | 47 | Furcatus. <i>canadensis</i> |

b Thorace inermi, capite cornuto.

- | | | |
|-------------------|----|----------------------|
| <i>Copris</i> | 48 | Carolinus, Fabr. |
| <i>Phaneus</i> | 49 | Carnifex, Fabr. |
| <i>onthophaga</i> | 50 | Nuchicornis, Fabr. — |
| | 51 | Janus, Panzer. |

c Mutici.

- | | | |
|----------------|----|--|
| <i>Ateuch:</i> | 52 | Volvens, K.* <i>laevis Olio</i> S. <i>H.</i> |
| <i>Ateuch:</i> | 53 | Niger. — <i>nigricornis</i> S. <i>H.</i> |

* *Laetus mitioris coeli nuntius.*

*Anthoph.**Steuerh.**Calliclavis Say. Thlaspidius Le-*
Gent Herbstz.

- 54 Smaragdulus, Fabr. *viridicetus* 3
 55 Ovatus, Fabr. 3. *H.*
 56 Histeroides, K. *Webr. capistratus* 3.

IV. TROX. Fabr.

- 57 Monachus, Herbst. *callosus* *Bore.* 3.
 58 Porcatus, K. 3. = *coriaceus* *Sturm* *cat-*
 59 Variolatus. — *an arenarius* *Fab.*
 60 Terrestris, K. 3. *f. 5. 192. 2.*
 61 Striatus. —
 62 Globosus, K. 3.
 63 Splendidus. 3.
* Alternatus Say. *Scutellum punctum.* 179.

V. MELOLONTA. Fabr.

- 64 Punctata, Fabr. *omnis*
 65 Pubescens. *Ilicis* *Kin.* *crenulata*? *Föch.*
 66 Quercicola, K. *K.* et *hafim*. *Succa* *Fab.*
Præs. i. d. Say. = ferrea. Coll. C. L.
 variat colore et magnitudine.
 67 Hirsuta, K. *H.* et *hafim*
 68 Pilosicollis, K. *S.* et *hafim*
 69 Picea. *Scarab. novator* *Kin.* *St. gem-*
 70 Vitis, Fabr. — *nitidula*? *Fab.*
 71 Rustica. —
 Mœsta, K. *S.* et *hafim* *f. 5. 197. 3*
 72 Marginalis. — *angularis* *Kin.*
 73 Sordida. — *S.* et *hafim* *f. 5. 197. 4*
 74 Sericea, K. *S.* et *hafim*
 variat colore.

- 75 Vespertina. *S.* et *hafim*. *Schöninger*
 76 Frondicola, K. *say* *f. 5. 198. 5*

*variat colore.**Histericula* *K.* *N. Dyttinge.**Barborreola* *Fab.* *vernalis* *K.* *opacana* *f. immu-*
yundulatula *f. M.**Estrita* *Fab.* *vire innubae* *Dorbicula* 3.** G. o. fuscana* *ex barol.* *f. M.* ** monilis*

- 77 Subspinosa, Fabr. ^{* hafim}
 Elongata, Herbst.
 Polyphaga. Rose-Bug.
- 78 Fulva.
- 79 Melanophthalma.
- 80 Innuba, Fabr. ^{hafim} varians lucicola, atque
 variat colore. ^{ta Fabr. loc. innuba et elongata}
- 81 Castaneæ pumilæ. ^{Cinnamomea pallens} et moe
- 82 Quercæ. servicula Fabr. Illig L.
- 83 Micans, K. iricolor s. et hafim
- 84 Monticola. — montana L. et
- 85 Lateralis. — ^{sem qd 86}
- 86 Strigata. — ^{nitidula?} Fabr. ^{Pinicola j. m.}

VI. CETONIA. Fabr.

- 87 Nitida, Fabr. L. et hafim
 Goldsmith. Anglice.
- 88 Fulgida, Fabr. et hafim
- 89 Lanius, Fabr. barbata S. Trich. decolorata
 Tonkæa, Herbst. Trich. inclusa Fabr.
- 90 Mariolandica. — est non loc. Mari. Fabr.
- 91 Pubera, Helwig. ^{Sepulcralis} Fabr. et ^{Pubera Schreineri}

VII. TRICHIUS. Fabr.

- 92 Capucinus. — ^{Turbinatus} ^{Woolsting}
- 93 Eremicola, K. S. et hafim
- 94 Coriarius, K. decoloratus Fabr. ele Beauvo
 Olens.

* Habitat præcipue in rosarum floribus,
 quos misere destruit.

- 95 Bikens, Fabr. et *hafsim*
 96 Piger, Fabr. et *hafsim*
 97 Maculosus, K. — et *hafsim*.
 Punctatus.
 98 Canaliculatus, Olivier, et *hafsim*
 variat colore.

VIII. HISTER.

- 99 Unicolor, Fabr. *deparator* S.
 100 Planus, K.
leucos second.
 Depressus. *leucos terpimus* *leucos* See east
 101 Brunneus, Fabr.
civitis leucos *renna*
 102 12 lineatus, K. *Americanus* Payk.
incompletus *leucos* *renna*
 103 Punctulatus. *Say*
conformis *leucos* *renna*
 104 Punctato-Striatus. —
dilectio *leucos* *renna*
 105 14 striatus, K.
stelenurus *leucos* *renna*
 106 Sulcatus, alternatus Say
guttatus *renna*
 107 Glabratus.
homarus leucos *renna*
 Depressus K. —
geminum *leucos* *renna*
 108 Aequalis, K. Say; Laevata
pilipes *renna*
 109 Semistriatus, Herbst.
grisea *leucos* *renna*
 110 Subrotundus, K. Say
obsoletus *leucos* *renna*
 111 Flavicornis, K. nigrellus S.
annularis Say
 112 Minutus.
parallelus *renna*
minor *renna*

IX. DER MESTES. Lin. Fabr.

- 113 Lardarius, Fabr. S. H.
 114 Marmoratus, K. *Vulpinus?*
 115 Murinus, Fabr.
 116 Violaceus, Fabr. } *dunt Neerobiae*
 117 Rufipes, Fabr. }
Vulpinus Fabr. H.
Pubescens Melol.

Classes German.
 1600. Und 1600. 1600.

- Sent to Say 118 *Fumatus*, Fabr. Knock with a?
- 119 *Cilindricornis*, K. *Megatoma* ^{Aug. 185.} *Attag. cylind.*
- 120 *Obscurus*. — *Elytra almost rufous var: prae:*
- 121 *Floricola*. var. [#] 119.
- 122 *Spadiceus*. —
- 123 *Ater*. —
- 124 *Nebulosus*. *marmoratus* Lin. dats. S. *Hesperi* ^(neos Germar)
- 125 *Undulatus*. *cot allegatorne*. *Mega ornata* S. 5. 185
- 126 *Adstrictor*, Fabr.
- Sent to Say 127 *Niger*.
- 128 *Viridanus*. *codem 345*.
- X. *Bostrichus Geoff.*
X. *APATE*, Fabr.
- 129 *Humeralis*, K. *basilaris* S. *halpin*
- 130 *Punctatus*, K. — *Say J. 5. 258.*
Niger.
- 131 *Cornutus*. *bicaudatus* S. — *sericollis?* *Germar*
- 132 *Bicornis*. S. *halpin*
- 133 *Barbatus*. — *an 131?*
- 134 *Vittatus*. —
- 135 *Politus*, *Bostrich. politus* S. J. 5. 256 no 4
- 136 *Minutus*. — *non Apate?* *an locis. thoracibus* ^(vis visib. vis)
- 137 *Striatus*. — *Pubillus* ^{an locis} *β obtusus nobis.* ^{Germar} *asper eo loco*
- XI. *BOSTRICHUS*.
- 138 *Ligniperda*, Fabr. *Mig 4. 130*
- 139 *Scolitus*, Fabr. — *Scol. 4. spinosus* S
- 140 *Fuscus*. —
- 141 *Punctatus*. —
- 142 *Typographus*, K. *(var. of Pini accord. to Say)*

+ The present species is widely different from Pini
Germar's "Insectorum Species" was published 1824.

- (thus Germ.)* 143 Pini. Say J. vol. 5. page 257 no 5
Somius calligra 144 Exesus. — Say J. vol 5. page 255 no 1
Sent to Say 145 Crassicornis. —
 146 Fasciatus, K. Say J. 5. 255 no 2
 Suturalis.
 147 Ater.
 148 Xylographus, K. +
 149 Minutus. —
 150 Striatus: —
 151 Chalcographus, Fabr. —
 152 Fuscipes.
 153 Pusillus.
 154 Niger. —
 155 Xanthographus, K. *Obsoletus* M. *rubellus* J. de Say J. 5. 256. 3

XII. BYRRHUS. Lin

- trivittatus* J. M.
striatus J. M.
Strigosus J. M. et Georg.
Niger Linné Rose.
- 156 Murinus; Fabr. undatus J. M.
 157 Ater.
 Impressus, K.
 158 Globosus, K. *Dorcatoma bicolor Germanica*
 Globulus.

XIII. ANTHRENUS.

- infasciatus* H. Varicus 159 Museorum, L. Fabr.* Geoff. *luteus*
 160 Castaneæ pumilæ. add. *luteus*
 161 Thoracicus. —
 162 Niger.
 163 *Obscurus*.
Terminatus. Linn.
 Rubescens. Linn.

* Larva flava, setacea, fasciis nigris.

Differs from the *Xylographus* Say in having the posterior declivity truncated & excurrent slightly truncated, and in being somewhat less;

XIV. ANOBIUM. Fabr.

- 164 Pertinax, Fabr. carinatum. 8
 165 Toméntosum; K. variolosum. ll.
 166 Sericeum, K.— *Xyletinus sericeus* Say ^{J. 5. 176}
 167 Fasciatum, K. *notatum* Say J. 5. 172. 3
 168 Gibbosum. Say J. 5. 172 not
 169 Thoracicum.—
 170 Pubescens.
 171 Minutum. — *bistriatum* Say J. 5. 172. 2
 172 Nigrum.
 173 Maculatum. est *Xyletinus aculeatus* 8
 174 Pusillum. *terrestreum* Say J. 5. 173. 4
 175 Villosum.
 176 Cervicornu, K.
 β *Boleti* M. y *biserratum* pilosum. M. L. Winter

XV. LICTUS. Fabr.

- 177 Impressus.
 178 Striatus, K.
 Canaliculatus. Say
 179 Axillaris, K.
 180 Punctatus, K. *geminatus* Say J. 5. 262. no 2
 181 Marginalis..
 182 Fuscus, K.—
 183 Americanus, K. *reflexus* Say J. 5. 262. 1
 184 Politus, Kugelan.
 185 Sulcatus. *lunatus* Linn.
 Porcatus, K,
 186 Histeroides, K.
 187 Fuliginosus.—
 188 Glaber.—

- 189 Minutus. —
 190 Parallelipipedus, K.
 191 Unicolor. —
 α fuscipes

XVI. LATRIDIUS. Herbst

- 192 Dentatus, K. *xaphim* ^{Say J. 5. 265} *silvanus dentatus*
 193 Depressus.
 194 Maculatus. —
 195 Pubescens, K. *xaphim* Say J. 5. 265
 196 4 dentatus.
 197 Bidentatus, K. *silvan. planatus*? Germ.
 198 Niger. —
 199 Rufus. —
 200 Sulcatus. *surinamensis* Linn.
 201 Rufipes. —
 202 Pusillus. —
 203 Pulicarius. —

XVII. CRYPTOPHAGUS. Herbst

- 204 Pubescens.
 205 4 maculatus. —
 206 Lycoperdi, K.

XVIII. COLYDIUM. Frabr

- 207 Undulatum. —
 208 Longiusculum, K. *say J. 5. 264. no 2*
 209 Parallelipipedum, K. *say J. 5. 263. no*
 210 Lineola. *say J. 5. 264. no 3*
 211 Glabratum. —

212 Substriatum. = *Lipuniatum* *Jouan* *dead.* *vol III.* 325
~~Obcurum~~

XIX. HYPOPHLOEUS. *Fab.* *Hellwig*

- 212 & *unicolor* & *unicolor* *J. M. Beror* *unicolor* *& J. S. 238*
 213 Castaneus. *mexicanus*, *rob.*
 214 Thoracicus, K. —
 215 Nitidus. —

XX. HALLOMENUS. *Hellwig Letr.*

- 216 Castaneus. *mexicanus*, *rob.*
 217 Undatus, K. *Dermaphilus* *4. maculatus*, *Say*
4 maculatus.
 218 Umbrinus. —
 219 Gracilis. —
 220 Bifasciatus, K. *Eustrophus bifasciatus* *Say*
Bivittatus.
 221 Humeralis, K.
 222 Minutus.
 223 Niger.
 224 Melanocephalus. —
~~224~~ *Sericenus* *M.*

XXI. PTOMAPHAGUS. *Hilig Catops* *Fab.*

- 225 Opacus, K. *Catops opacus* *Say* *J. S. 184. 1*

XXII. PTINUS.

- 226 Humeralis, K.
 227 Niger. —
 228 Bidens. —
 229 Bimaculatus.
 230 4 maculatus.

XXIII. BRUCHUS.

- 231 Pisi, Fabr.
Pea-Fly, Engl:
232 Nebulosus.—
233 Niger.
234 Pictus, K.
Punctatus.
235 maculatus.
236 Verrucosus.—

XXIV. ELOPHORUS. Fabr.

- 237 Griseus, Herbst. lineatus S. H
238 Tuberculatus. est *Hydrochus*
Gibbosus, K.
239 Rufipes.— est *Hydrochus*

XXV. SPHAERIDIUM. Fabr.

- 240 Prætextatum, K. Say f. 5. 190. 1
241 Glabratum. agricolle S. f. 5. 190. 2
242 Melanocephalum.
243 Minutum.

XXVI. { *Pyturus Latr.* STRONGILUS. Herbst }

- 244 Adustus, K.
245 Silaceus, K.

XXVII. { *Leiodes Latr.* ANISTOMA. Fabr. }

- 246 Piceum, K.
247 Americanum, K.
248 Lividum.—

- 249 Brunneum. —
 250 Thoracicum. —
 251 Nitidum.
 252 Atrum.

XXVIII. SCAPHIDIUM. Fabr.

- 253 4 pustulatum, K. ^xS. H. *
 254 4 guttatum, K. f. — f.
 255 Piceum, K. ^x Coneolor? f.
^{Leach}
~~aphisoma~~ 256 Convexum. ^HScaphidome convexa S.J. 5. 183
 257 Terminatum, K.

XXIX. AGATIDIUM. Satz

- 258 Piceum, K. x

XXX. TRITOMA. Fabr.

- 259 Striatum. ^{diem orleaeum Germ}
 Unicolor, K. Say Jour. 5. 300. 1. ^{Ind. Borneo}
 260 Punctatum. Non est Tritoma s. Nosodendron
 Nigrum, K. ^x unicolor Say ^(biguttatum Say)
 261 Biguttatum, K. humerale Fabr. ^{biguttatum Say}
 262 Bicolor. ^{anufipes f. = sanguinipungens}
 263 Piceum, K. f. clem cum 268. angulatum
 264 Glabratum. —
 265 Pulchrum. — Say. J. 5. 301. 3
 266 Rufum.
 267 Thoracicum. —
 268 Rufipes, Fabr. angulatum S.J. 5. 300. 2
 269 Minutum. —
^α Anale dt.
^β Luridum

* 4 pustulatum Fabr. is a different species, and is from
 N. Holland.

XXXI. MYCETOPHAGUS. Fabr.

- Castaneus*, K. Eustroph. bicolor F. S.
4 maculatus. — Hig. 164 Eustroph.
Bimaculatus, K. ellipticus Fabr.
Undulatus. non Mycetophag.
Nodosus, K.
Maculatus, K. an Tetratoma? S.
Tesselatus.
Maculosus, K. — Wentz.
10 guttatus. —
Flexuosus, K. S. et Hafni. S. 260.
Boleti.
Atomarius, Helw.
Multipunctatus.
Niger. — .
Pubescens. —
Substriatus.
Tomentosus. Eudr. tomentosus S. J. 57.
6 punctatus. Say J. 5. 261. no 3
Dispar, K.
Bimaculosus, K. — didemnus Say
^{15 fasciatus M}
^{16 minutus L}

XXXII. IPS. Fabr.

- Fasciata*, Fabr. *longis fasciata* S.
4 notata. — *obtusa* S. H.
Undata, H. *fasciata*? F.
5 maculata, K. *longipennis* Say
Atripennis, K.
Transversalis, K.

290.5 pag

Mr. didemnus Say Journal vol. 5. page 261. no 3

Sent to Say
Sent to Say

- ent to say*
- 291 Bicolor. *Rufipox Theracica* S. Fabrini
 292 Rufipes. *R.*
 293 Villosa, K.
 294 4 maculata. — 8.
 295 Bipunctata. —
 296 4 maculosa, K.
 297 Nigra, K.
 Subterranea.
 298 4 signata, K. 8.
 299 Unicolor.
 300 Sexpunctata. *confluens* Say.
 301 Dispar, K.
 302 Pubescens.
 303 10 guttata. —
Rufopunctata ill.

XXXIII. HISPA. Lin:

- Microtropulus* 304 Vittata, K. Pl. 3. 169. F. et Fabrini
roplata 305 Arundinis. metallica Fabr.
roplata 306 Marginata. *S. quadrata* F. rosea Weber
roplata 307 Castaneæ pumilæ. inaequalis Weber
 308 Suturalis, K. Fabr. et Fabrini
 309 Thoracica. —
 310 Bicolor. —
 311 Humeralis. —
 312 Nigra.
 Porcata, K.
 313 Pulchra. —
 314 Scabra. —
 315 Minuta. —
 316 Dubia.
 * *H. flavipes* Germar. Inv. Spec. p. 529. No. 713

XXXIV. PARNUS. Fab. Dryops Oliv.

- 317 Lithophilus. Germar. (Elmis lith.) 88. 1.
Villosus, K.
318 Fastigiatus, K. S. H.
319 Sulcatus.
Crenatus, K. Say }
320 Longimanus. Macr. variegatus Germar
Cinctus, K. Elmis cinctus D. } sunt Macromy
321 Minutus. } chi Müller
322 Vittatus,
macromyces glabratus S. f. 5. 187.

XXXV. DIAPERIS. Geoffr. et pafim

- 323 Maculata, Olivier. pafim Illig 4. 167. 2
324 Bicornis. Oliv. pafim
Hispa bicornis, Fabr.
325 Cornigera. veridipennis Fabr. et pafim
Hispa cornigera, Fabr.
326 Bicolor, K. Illig 4. 167. 6
327 Nigra. an 328. Th.
328 Cornuta. excavata S.

XXXVI. BOLITOPHAGVS. Eudona Le

- α Corticola Att. n. Scaber. M. ex Virginio
329 Cornutus, K. Fabr. et pafim
Femina mutica.

α Bolitophagus corticola Say J. 5. 238

XXXVII. NICROPHORUS. Fabr.

- 330 Thoracicus. Americanus Oliv
Grandis, K. Fabr.
331 Americanus, K. orbicollis Say
332 Velutinus, Fabr. tenentosus Web.
Cadaverum, K.
333 6 maculatus. — punctulatus Illig
 α marginatus Fabr.
 β orbicollis Say J. 5. 177. 1

Heterocerus Fabr.
a villosus Kn.
Blandus Melch.

XXXVIII. SILPHA. Lin.

- 334 Littoralis, Fabr. varites 335
 335 Surinamensis, fabr.
 336 Americana, Fabr.
 337 Inæqualis, Fabr.
 338 Marginata, Fabr.
 Jo Say 339 Brunnea, K. —
 Jo Say 340 Rufipes.
 Jo Say 341 Hæmiptera. —
 Jo Say 342 Minuta. —
 Jo Say 343 Pusilla. —
 Jo Say 344 Testacea.
 Jo Say 345 Violacea. —

XXXIX NITIDULA. Fabr.

- ent to Say 346 Bipustulata, Fabr. S. H.
 ent to Say 347 Maculata, K. grossa S. H.
 Grandis.
 ent to Say 348 6 maculata, K. S. H. Say J. 5. 178. 1
 Polita.
 ent to Say 349 Undulata, K. S. H. Say J. 5. 179. no 3
 ent to Say 350 Tesselata. —
 351 Hæmiptera, K. semitecta Say J. 5. 182. 8
 Marginalis.
 352 Undata, K.
 353 Aestiva, K.
 354 Nigra. Cervus niger S. H.
 355 4 guttata, K. geminata Say J. 5. 181. 5
 356 Bimaculata. —
 357 8 maculata, K.
 Abbreviata.
 α hieroglyphica M.
 β lateralis M. unilineata Say
 δ striata M.
 ε picta M.
 γ obsoleta M. bicolor Say J. 5. 179. 2

- 358 *Rufa.* — *Say J. 5. 180. No. 4.*
 359 *Brachyptera,* K. *Say J. 5. 183. 10*
 360 *Ochracea,* K. —
 361 *Colon,* Fabr.
 362 *Pulicaria.* — *Lessing*
 363 *Villosa.* —
 364 *Biguttata.*
 365 *Minuta.*
 366 *Fasciata.*
 367 *Castanea.*
 368 *Nitida.*
 369 *Pusilla.*
 370 *Pudibunda.* —
 371 *Trifasciata.*
 372 *Glabrata.*
 Antiqua, K.
 373 *Melanophtalma.* —
 374 *Unicolor.* —
 375 *Rufida.* —
 carbonaria M. — *m. unicolor* S. J. 5. 183. 9

XL. OPATRUM. Fabr.

- Opatrius, Say*
 376 *Clathratum,* K. *notum* S. J. 5. 237.
 377 *Striatum.* —

XLI. COCCINELLA. Linne**a ELYTRIS FLAVIS, PUNCTIS NIGRIS.**

- 378 *Oculata Americana.* mali. *Pl. II. 401*
 379 *Trilineata,* Fabr. *Xli, II. 397.*
 Venusta, K. *III, II. 397.*
 380 *9 notata,* Herbst. *Fabr. et Hoffm.*
 Borealis *Thunburg. Drury*
 β Oculata? *Fab.*

381 5 notata, K.

Parenthesis. *S. hafniæ*382 Abbreviata, Fabr. *glacialis* H. Herb. *remota* Weber383 10 maculata, Fabr. *S. et hafniæ*384 Munda, K. *S. et hafniæ*385 20 maculata, K. *S. et hafniæ*

386 Suturalis.—

387 Mali. *S. et hafniæ*

an varietas ocellatæ.

**b ELYTRIS NIGRIS PUNCTIS FLAVIS
VEL RUBRIS.**

388 4 punctata.

389 Stigma, K. Say et hafniæ
Cacti, Fabr.

390 Ursina, Fabr.

391 6 maculata. — *felina*?392 Binotata, K. Say for 5. 303. no 2
Albifrons.393 Bipustulata. *normata* Say J. 5. 302 no 3394 6 notata, K. *nas. Ursina*?

395 Prætextata, K.

Marginalis.

396 Lateralis.

397 Fimbriolata, K.

Limbata. *Huf* "397.398 8 pustulata. *med. Ursina hafniæ*

399 Analis, K.

400 10 guttata.

401 Leporina, K.

γ *Haemisphaerica*? Web. *lutea* Sayδ *Fimbria* J. deε *Pini* J. deη *Biquattata* deδ *Flavifrons* de

- 402 Thoracica —
 403 Terminata, K. *Scymnus terminatus* Sc.
 404 10 pustulata. — *Mij II. 404*.
 405 Aurita. — *Lüssing*
 406 Trimaculata.

XLII. CASSIDA. Lin:

- Sent to Say*
 407 Signifer, Herbst. *cruciata* F. et Fabr.
 408 Horticola, K.
 409 Aurata, K. *Mij. 2157. aurichaleia* F.
 Mutabilis.
Sent to Say
 410 Bivittata. — *Say J. Vol 5. 295.*
 411 6 punctata, Olivier. *Mij II. 407.*
 412 Clavata, Fabr. et Fabrini
 413 Limbata, Geoffr.
 414 Fasciata. — *Lüssing*
 415 Minuta. — *Lüssing*
 & *Cribroviae*? *Fabri = 17 punctatum?* (Innat.)

XLIII. CHRYSOMELA. Lin:

- Lebidomera*
S. J. Vol. 5. 297 no 22
 416 Philadelphica, Fabr. *paup*
 417 Pulchra, Fabr. *paup*
 418 Maculata. *trimaculata* Fabr.
 419 Purpurea, K.
 420 Virgata, K.
 Limbata. *Mij II. 412*
 421 Raphani, Herbst. *Mij II. 412*
 422 Alni. *interrupta* Fabr.
 423 14 notata. *sericea* F. Fabrini
 424 Polita, Fabr. *Mij II. 412*
 425 Violacea. — var. *Mall. chalybea*
 426 Ranunculi, Herbst.
 & *Decipiens* Weber.
 β *Pruni* J. M.

Caeruleo-picea S. J. 5. 296.

+ though my specimen agrees in every feature with Say's description of his species, yet I believe it to be exotic.

- 427 Vulgatissima, Fabr.
 428 Cyanea. — var. *R. ciliata*
 429 Rhois, Forster. *Haltica* Nf. 119.54 *perfum.*
 Lineata, K.
 430 Flavida. —

XLIV. ALTICA, Geoffroy

- Mij* b. 83 431 Thoracica. *Olio: Fabi. Illig. perfum.*
Mij & & 432 Purpurea.
 — 6. 83 Vians, K. *Illig. perfum.*
Illig b. 126 433 Merdivora, K. *collaris Illig Gal: collaris F.*
Vulgaris. Xanthomelas Dalm. Aenea. Eri-
Mij b. 146 434 Horticola. *Pennsylvanica Bruegnierii*
 435 Vittata, K. —
 436 Nitidula. — *Scalaris J. u.*
Illig b. 155 437 Atrata, K. *frontalis Illig Gal: frontalis F.*
 — 6. 115 438 Cuprea, K. *Kalmiae J. u.*
Illig b. 112 439 Helxines, Fabr. *Olio.*
 — 6. 124 440 Segetum.*
Mij b. 163 Earth-Flea, Teuton: *denticulata Illig*
 441 Cærulea. — var. 465.
 442 Rufipes. *Sericis J. u. = nana Illig*
 443 Aerea, K.
 444 Raphani, Fabr.
 445 Analis.
Illig b. 104 446 6 maculata. *Knoch. Illig:*
 — 6. 117 447 Metallica. *ignita Illiger*
Violacea, K.
 448 Rufipes, Line. *euthropoda J. u.*

fungicola. Kochii

* Destruit segetes tempore autunnali.

oides J. u. V. alienigenus J. u.

Bellela Illig. Eric: collata F. Mij b. 126.

alternata Illig. Mij b. 144.

glabriata Illig. gal: glabriata F. Mij b. 146. the conjugata F. is a var. of this

Petunista F. a var. of 451. perhaps the same as 151.

- 449 Nitida. var. 442
 450 Pusilla. — *cryptoceris*, h.
 451 Flexuosa, Panzer. *strobilata* Mey. Eric.
 452 Sanguinei-collis.
 453 Urticæ, Kugelan. *pubescens* Ent. Hoff.
 Solani tuberosi.
 454 Bimaculata.
 455 Caroliniana, Fabr. *alternata* Illig.
 456 Pilosa, K. Illig. Papim.
 457 Forticornis, K. — Illig. Eric. *cephalinae*.
 Longicornis.
 458 Bivittata. —
 459 Rhois. var. 457
 460 Rufa, K. Illiger.
 461 Du Chou, Geoffr. var. 442
 462 Puliçaria. —
 463 Rubicunda. —
 464 Melanura.
 465 Oleracea, Fabr. *chalybea* Illiger.
 466 Smaragdula. *cryptoceris*.
 467 Lupuli, Helwig. *aureola* J. de
 468 Prasina. — var. *prae-*
 gutturnella Say J. 5. 299.
XLV. EUMOLPUS. Kugelan.
 469 Auratus. Fabr. Papim.
 Chrysomela aurata, Line.
 470 Cupreus, K.
 Longicornis.
 471 Flavidus, K. *E. flavidus* Say
 472 Metallicus, K. — *Colaris*. *prætexta* Dr.
 Pini J. M.
 Aulicus J. M.

- 473 Ovatus, K. *Coleosoma S. haemum*
Smaragdulus.
- 474 Viridis. *Chrysomela*
- 475 Maculatus, K. *nigromaculatus* Melsch. A.S.
- 476 Aeneus, K. *Chrysomela*
Castaneæ pumilæ.
- 477 Pubescens, K.
- 478 4 maculatus, K. — Say (Colashi)
- 479 Rufipes. *S. haemum*
Quercus, K.
- 480 Pilosus.
Barbatus, K. *S. haemum* Say J. 5, 296 no 2
- 481 Villosus, K.
Altica villosa, Kugelan.
- 482 Thoracicus. —
- 483 Limbatus. —
- 484 Flavipes.
- 485 Versicolor. —
- 486 Fuscipes.
- 487 Unicolor.
— *Pini* J. U. Say J. 5, 295. no 1

XLVI. CRYPTOCEPHALUS. Geöffn.

- 488 Pubescens. *Clytia Domineana* Fabr. et Say
^{an pubescens (Clytia) F.}
- 489 Histrio, Rossi.
- 490 Trinotatus, K.
- 491 Tæniatus, K. *recursus* Say.
Lineatus.
- 492 Sanguinei-collis. —
- 493 Hepaticus, K.
- 494 4 maculatus.
6 notatus, K. *Mig. 3166 nematus* Sc. notatus?
x *Trinotatus* Al
y *Smaragdulus* Al
z *Ermatus* F. var. 198
1 *Viduatus* Fabr.

- 495 Pictus, K. —
 496 Indicus, K. *superatus* Fabr.
 Ater.
 497 Pulcher.—
 498 Venustus, Fabr. *hafim* *Olig.* 167
 499 16 guttatus, K.
 500 Clathratus, K.
 501 4 guttatus, Olivier. *Say* 502? *Spec.*
 502 4 maculatus, K. *Semicinctus* Germar.
 503 Nobilis.—
 504 Bivittatus. *othionus* *Say*. 4. 11
 505 Conspersus.
 506 Rugosus. *obsoletus* F.
 507 Aesculi, K.
 508 Cæruleus.—
 509 Tridens, K.
 510 Minutus. — *Mij* 3. 168
 511 Fasciatus.
 Binotatus, K.

XLVII. CLYTRA. *Fabr.*

- 512 Obsita. *Fabr.*
 Cryptocephalus obsitus, Fabr.

XLVIII. CISTELA. *Fabr.*

- 513 Scutellata. *Gelops obliquatus* *Fab.*
 Quercus, K. *himelia* *Fab.* 8. 1, 162
 514 Erytroptera.
 515 Fuliginosa, K.
 516 Pubescens.
 Pilosa, K.

- §17 Marginalis.
 §18 Rufipes.
 §19 Sericea, K. *S. et patina*
 §20 Humeralis.— *humerata* K.
 §21 Axillaris. *fraterna* S.
 §22 Bipustulata, K. *bipustulata* S.
 §23 Minuta.
 §24 Obscura. *sayi* Jour. Vol. 5. page 242. no. 1
 §25 Atra, K. — — — — — 2
 §26 Nigra.
 §27 Fuscipes.
 §28 Unicolor.
 §29 Picipes.

- hepatica ex Georgia (nob) Epitragus*
XLIX. CRIOCERIS. Geoffrey
 §30 Trivittata, K. *S. et patina* de Solani Fa.
 §31 Arundinis. *Armenia trivittata sayi*
 Lineata, K.
 §32 Flavida.
 §33 Asparagi; Fabr. *Mig. II. 422.* or *sodalis*: *tr* *pla. 8. j. 5. 281*
 §34 Rubricollis.
 §35 Armeniacæ.*
 §36 Pruni.
 §37 Marginalis.
 Fimbriolata, K.
 §38 Thoracica.
 Flavipes, K. *Mig. II. 419*
 §39 Rufipes.— *Mig. II. 419. 421*
 §40 Cærulea.— *Galler. meraca?* *S. j. 5. 299.* 2
 §41 Paleacea.
 Pallida, K. var. 533.
 §42 Melanophthalma.
x pittata S. Jan
x levittata B. *Monachorum Cervi d'India 520*

L. GALERUCA. Geoffrey

- 543 12 punctata, Fabr. Cri: 12. punctata. S.
 544 Vimiralis, K. ~~Bacriagell.~~ atropurp.
 545 Cucumeris. Cri: vittata S. et papim
Cucumber-Fly, Engl: ~~l~~
 546 Sanguinea, Fabr. Vaccinii f. ill
 547 10 maculata. Cri: examinea S.
 548 Limbata.
 549 Salicis, K. netata Fabr.
 550 Thoracica.—
 551 Cincta.
 552 Lineata. — ~~tuberculata~~ Say
 553 Quercata, Fabr. Kali: quercata S. f.
 554 6 lineata. Americana? Fabr.
 ♂ ~~occidentalis~~ S. f. trivittata ♂ Sing: f.
 LI.. LAGRIA. Fabr.

- Stalpina* { 555 Aenea, Fabr. papim } Illig 6. 302.
 556 Viridis, K. }
 557 Resplendens.
 558 Fusca.—

- LII. ENDOMICHUS, Fabr. Say
 559 Distinctus, K. ~~S.~~ lineatus Fabr.
 560 Limbatus, K. ~~S.~~ ~~angulatus~~ ~~S.~~ Niger.
 561 Villosus. ~~say~~ ~~vidua~~ vittata say.
 562 4 punctatus. = biguttatus. Say

* Pestis hortorum: pellitur oleo resinoso
(Tar) et sulphure.

- 563 4 guttatus, K.
 564 Pilosus.—
 565 Fuscus.
 566 Luteus, K.
 Flavidus.
 567 Fasciatus, K.
 Crassicornis.

LIII. BRENTUS. Fabr.

- 568 Dispar, Fabr. de tentacione Herbst
 569 Albo-maculatus.

LIV. CURCULIO.

- Balanius
 570 Rostratus.
 Caryatipes, K.
 571 Tesselatus.—
 572 Castaneæ pumilæ.
 573 Proboscideus, Fabr. *Hig 4.147.229. Say del*
 574 Cinereus. *Hig 4.153.48*
 575 Atomarius.—
 576 Nucum, Fabr. *projecit Say Schrank* *contaminatus Nut.*
 Stylobius 577 Abietis, Fabr. *hafniæ*.
 Pales, Herbst. *Dugesii n. c. S. 11*
 578 Barbitus, K. *Say Schrank*.
 Dentatus.
 579 Erytropterus.
 580 Olyra, Herbst. *S. et hafniæ*
 581 Pandura, K. *S. et hafniæ* *de aen*
 Juvencus.
 582 Myrmex, Herbst. *He: et hafniæ* *Hig 6.313*

F *sterebrata*D *dentellata*A *canaliculata*P *echinata* *multicrenatus*C *carinatus*X *coracinus*Y *virginia*

Interscapulariæ

Geminorum, etc.

aestuosa, etc.

Aphibolus, etc.

fucicollis, etc.

bicolor, etc.

- 583 *Anaglypticus*, K. ~~hefpi~~
Granulatus.
 584 *Elegans*.
 585 *Clathratus*, K.
 586 *Zonatus*.
 587 *Nivetus*. — *Mij 4.152*
 588 *Fuliginosus*. —
 589 *Nenuphar*, Herbst. ~~Agule~~ ~~Di~~ ~~hefpi~~
*Persicæ**.
 590 *Verrucosus*. *Mij 4.158*
 591 *Cylindricus*. *Mij 4.150*
 592 *Tuberousus*. —
 593 *Crenatus*.
 594 *Lineola*. *Mij 4.151*
 595 *Quadrigibbus*. — *Anthracina* *Per*
 596 *Pinastri*, Fabr. ~~nemor~~
 597 13 *punctatus*, Fabr. *Mij 4.135*
 598 *Trilineatus*. *lvs. cundatisq. lvs.*
 599 *Foveolatus*, K.
Albo-maculatus.
 600 *Pubescens*. —
 601 *Trinotatus*. *lvs. rotata* *lvs.*
Pensylvanicus, K. *Mij 4.133* 7
 602 *Bisignatus*, K. *lvs. rotata*
 603 *Hypsigaster*, K. —
 604 *Signatus*.
 605 *Smaragdulus*. —
Hebetatus, K.
 606 *Scutellum album*, K.
Scutellum *lvs. rotata* *lvs. rotata*
lvs. rotata *lvs. rotata*

Habitat in malo Persica, larva sub cortice.

- 607 Striatus. *Hij* 4.139. *Rhynechae instans* *Striatus* S.
- 608 Sordidus. —
- 609 Limosus.
- 610 Corticalis, Paik. *am Calanidea?* *Hij* 4.157.
Lymexylon, Fabr. *Hij* 6.3/2
- 611 Albolineatus.
- 612 Tabecula, K.
Punctum album. *Hij* 4.141.
- 613 Pectoralis. —
- 614 4 dentatus. *cretaria*, *h*, *h*
Denticollis, K.
- 615 Rufipes.
- 616 Quercus. *brighteyana* *epiculeatus* S.
- 617 Obscurus. *Hij* 4.157
- 618 Bidentatus.
- 619 Collaris.
- 620 Quadricuspis, K.
- 621 Fuscipes.
- 622 Ephippium.
- 623 Nigricans. —
- 624 Gagathes. — *Hij* 4.139
- 625 Fasciatus. *versicolor*, *h*, *h*
- 626 Villosus.
- 627 Humilis, K.
Atrirostratus.
- 628 Exoticus.*
- 629 Varians, Fabr. *Prosp. Keeb.t.*
- 630 Picipes. *Hij* 4.160
- 631 Nigrinus.

* Habitat — — allatus in oryza.

- 632 Conspersus. *Conspersus*
 633 Penecillus, Herbst. *Penecillus*
 634 Maculosus.
 635 Sanguinolentus. —
 636 Aeneus.
 637 Interlineatus.
 638 Pilosus.
 639 Pictus. —
 640 Punctatulus, Fabr. *Mig 4.154*
 Noveboracensis, Forster. *Noveboracensis*
 641 Transversalis, K.
 642 Corticola. *Corticola*
 643 Griseus.
 644 Ruficornis. *Ruficornis* *Mig 4.157*
 645 Abbreviatus. *Abbreviatus* *Mig 4.138*
 646 Echinus, K.
 647 Nephele, Herbst. *Nephele* *Mig 4.147*. *Plagiatus*
 648 Acuminatus. *Acuminatus* *Mig 4.159*
 Vagans, K.
 649 Lineatus. *Lineatus* *Mig 4.156*. *Sordidus*. *Scutellatus*
 650 Incultus.—
 651 Nota, K.
 652 Pilosellus, K.
 653 Undulatus.
 654 Chrysorrhœus. —
 655 Variegatus.
 656 Hæmorrhœus.
 657 Ater.
 658 Aeratus, K. *Aeratus*
 Cupreus.
 659 Maculatus.

+ *Anbus hilaris?* Herbst

660 Incanus. 686?

661 Niger. Mi. 4.157

662 Picumnus, Herbst. *Olivaceus* & *Schwar*

663 Sparsus, K.

664 Biguttatus.

665 Minutus.

666 Perscitus, Herbst. *Sinuatus*

667 Unicolor.

668 Myrmecodes, K. Say

LV. *Calandrinia Clairville*

LV. *RHYNCHOPHORUS* Herbst

669 Carinatus, K. Mi. 5.263

670 Granarius, Fabr. Mi. 4.139

Weevil, Angl:*

671 Erytropterus.

672 Oryzæ, Fabr. Mi. 4.139 *hafri*

673 Bicolor. —

α 5 punctatus Say

LVI. *ATTELABUS*. Linne

674 Curculionoides, Fabr. *amalis* Weber. fo

675 Bipustulatus, Fabr. *hafri*

676 Pubescens. Say = *Rhois* Kn. Sch. Cuv. 1.202

LVII. *RHYNCHITES*. Herbst

677 Aeneus, K. *fuscus* Fabr et *hafri*

678 Bicolor. Fabr et *hafri*

679 Nigripes.

Quercus, K. *fuscus* et *coloratus*

* *Pellitur calce viva.*

Rhynchosciurus Latr

curculionoides et *virginicus fulvipes* nob

- 680 Americanus, K. 680
 681 Niger.
 Scaber, K.
 682 Cæruleus.
 683 Rostrum, K. *Apion rostr: hafin.* 683
 684 Florilegus.
 685 Atratus.
 686 Pigmæus.
 687 Analis.
 688 Fuscipes. 688
 689 Nasutus.
 690 Punctum.
 691 Globulus.
 692 Rubricollis. S. collaris Glic.

LVIII. ORCHESTES. Illig.

693 Salicola, K.

- LIX. ANTHRIBUS. Geoffr.
- luzub. & Oly.*
- 694 Senilis. ~~no 195~~ *tuo sub.*
 695 Agarici quercini. *marmoreus* Oly liv.
 696 Notatus, K. *albifrons* Melsh. *notatus* Say J. 5. 21
 697 Longicornis.
 Capillicornis, K. Say J. Vol. 5 page 249.
 698 4 notatus. *hafin.* Say J. 5. 249. 2
 699 Limbatus.—
 700 Pubescens. ~~Ag.~~
 701 Varius. *alternatus* Say J. 5. 250. no 5
 702 Albidus.—
 Variegatus, K. Say J. 5. 251. no 6
 703 Tomentosus.— *Say J. 5. 251. no 7*
Cupes *stab. natis*
capitata *St.*
cineræ *Say*
& erythrocephala

LX. CLERUS.

- 704 Dubius, Fabr. —
 705 Ichneumonius, Fabr. Say Trichodes
 706 Rufipes, K.
 Cyaneus.
 707 Monilis.
 Thoracicus.
 708 Sanguineus. Say
 709 Rosarum, K. *rosmarus* Say
 710 Fasciatus.
 711 Distrophus, K. —
 712 Bifasciatus. *Enoplium dislocatum* S. J. 5. 176. 1
Lepturillus de Brunneipes Say *y humeralis* Say

LXI. TILLUS.

- 713 Pilosus. *Enoplium pilosum* Say 2. 2. 11
 Lampyris pilosa, Forster.
 714 Marginatus, K. *Enoplium marginatum* Say
 715 Thoracicus. *Enoplium thoraceum* Say ^{var. 4 punctatum} _{Sil. damicornis}
 716 Bipunctatus, K. var. ~~X~~ 717
 717 4 punctatus. *Enoplium 4 punctatum* Say
 718 Sanguineicollis.
 719 Fasciatus. —
^{4 punctatus} _{lateralis} *Tillus cornutus* *terminatus* Say
 LXII. NOTOXUS. Geoff.

- 720 Unicornu, K. *N. unicornis* *Menoden* *L. et hispan*
 721 Thoracicus. —
 722 Pubescens.
 723 Undulatus. * *Ophioceras laticornis* *Illy*
 724 Axillaris. *An. cinctus* *D. barillaris*
 725 Unicolor, K.
 Pusillus.

~~X~~ *bicolor* *S. et hispan*

* *Tillus undulatus* S. J. 5. 174. no 2
 Trichodes apivorus Germar p. 81. no 139 — Nutallie Smith
 Inornatus Say

726 4 maculatus, K.

727 Melanocephalus. *Arc basifrons* S.728 *Floralis*, Fabr. *Malachius* Illig. II. 3;**LXVIII. PSELAPHUS.**

729 Brunneus, K.

730 Rufipes.

LXIV. PRIONUS. Geff.

731 Imbricornis, Fabr. Linne

Cylindricus, Fabr. *lavigatus* Drury
Brevicornis Fabr. *laticollis* Drury**LXV. CERAMBYX. Linne**

732 Undatus, K.

733 Fasciatus.—

734 Punctatus.

Maculatus, K.

735 Macula, K. *Lamia macula* S. J. 5. 268

736 Symetrus, K.

737 Variegatus.

738 Griseus.

Analis, K. *Lamia alpha* S. J. 5. 270

739 Insignis, K.

X album.

740 Rufipes.

741 4 notatus.

742 Interruptus.

743 Pygmæus.—

LXVI. STENOCORUS. Fabr.744 Garganicus, Fabr. *cinctus* Drury

Rufus (Phagium ruf: ali)

Unicolor (Pha: unicollis)

Sanguicollis (Pha: Sangu: ali)

- 745 Cyaneus, Fabr. Illig 4. II. Sep: pallida Förster
Sambuci.
- 746 Bidens, K. Illig 4. II. 5. 239 Fabr.
- 747 Discoideus, K. nocturnum Oliv (Galv)
- 748 Undatus, Fabr. ~~papim~~ Illig 4. II. 2
- 749 4 maculatus, Fabr. ~~papim~~ Illig 5. 239 *
- 750 Marilandicus, Fabr. atomarius Drury Glen
- 751 Pubescens. —
♂ ~~vittatus~~, Fabr.

LXVII. LAMIA. Fabr.

- 752 Pini.
- Carambyx pini, Drury. ~~papim~~
- 753 Pulchra. — Illig 4. 109
- 754 Marmorata, K. — dentator? Fabr.
Elegans.
- 755 Titillator, Fabr. ~~papim~~
- 756 Coquus, Fabr. ~~papim~~ G. Anoplistes senz.
- 757 Axillaris; K. humeralis (Cerambyc. sub.)
- 758 Bimaculata. = quadrigibbus L. Bosc. T. i. 105.
- 759 Tornator, Fabr. ~~papim~~ Tetraphthalmus
- 760 Pictor, Helwig. canticator Drapiez ~~papim~~
- 761 M nigrum. obsoleta Oliv ~~papim~~
Obliqua, K.
- 762 Scabra.
- 763 Lunulata. L. dasycerus S. J. 5. 270 no 3
- 764 6 guttata. Say Journal Vol 5 page 269 no 2
♂ ~~Supercincta~~ ill. B. Sutor Lin: Y. Stictica ill.

LXVIII. SAPERDA. Fabr.

- 765 Pulchra. tridentata Oliv.
Picta, K.

G
S. oblique S. Joc. 5. page 274. no 6

- 766 Lateralis, Fabr. ~~K.~~ ^{passim}
 767 Lineata. lemniscata? Fabr.
 768 Tripunctata, Fabr. ^{passim}
 769 Juglandis, K. ^{This is in the Trilineata Say}
 770 Spinosa, K. Lamia spinosa Say J. 5. 27.
 771 Cinerea, K. ^{Say J. 5. 279. 4}
 Trilineata.
 772 Ocellata, K.
 773 Undata, K. discordia? Fabr.
 774 Marginata. ^{near darina?} Say
 775 Cingulata, K. ^{Say J. 5. 272. 1}
 Juglandis albæ.
 776 Nigricornis. ^{Miz 4. 115. gracilio} Fabr.
 777 Nigra. Say J. 5. 272. 2
 778 Maculata. — alternata? S:
 779 Scutellata.
 780 Fusipes. Say J. 5. 273. 3
 781 Unicolor.
 782 Bipunctata. ^{blylus supernotatus} Say
 783 Bifasciata. — bivittata? S eandida? ^{Sh}
 ~~& obsoleta~~ M.

LXIX. RHAGIUM. Fabr.

- 784 Inquisitor, Fabr.
 785 Pictum, K.
~~variorum~~ 786 Rufipes. ^{Leptura coerulea} S. J. 5. 280.
 787 Sericeum, K. ^{Lsp. cylindricollis} Say
 788 Thoracicum.
 789 4 maculatum.
 790 Nitidum. —
~~& holosericeum nob~~

LXX. CALLIDIUM. Fabr.

- 791 Pulverulentum, Fabr.
 792 Variegatum.
 793 Nigrum.
 794 Dentatum.
 795 Erythrocephalum, Fabr. *S. haemum*
 796 Picipes, Fabr.
 797 Varium, Fabr. *passim*
 798 Colonum, Fabr. *ball. coloreum* Fabr. & Et.
 799 Indicum, Fabr. *violaceum* Fabr. *haemum*
 800 Cucuiiforme, K. *Say J. 5. 277.*
 801 Angulatum, Fabr. *rectus* Dr. Robinet Port. *versus* Fabr.
 802 Fennicum, Fabr. *passim* Illig 4. 116
 803 OO
 Caprea, K. *S. haemum*
 804 Pensylvanicum, K. *lignum* Fabr. *haemum*
 805 Fulminans, Fabr. *haemum*
 806 Bicolor. *amoenum* S
 807 Luridum. *Illig 4. 117*
 808 Deustum. *discedens* S.
 809 Juglandis, K. *saturale* S. *minutum* Germ.
 810 Bajulum, Fabr. *Illig 4. 116* *haemum*
 811 Thoracicum. *angustum* *zona* *Gennaro*.
 812 Elegans. *spiculata* *82*
 813 4 maculatum.
 814 Obliquum, K. = *versicolor* Oliv.
 815 Canaliculatum. *crepitum* S
 816 Ornatum. *Illig 4. 120*
 817 Femoratum. *Fald.* [Callidium]
 818 Arietinum.
 819 Gazellula.
 α *Stictatum* Fabr. *versicolor* S. *Day* *color*
 β *Melanoccephalum*
 hamatum (*elatus*) *Say*

- Asernum 820 Fuscum. *Mig.* 4. 117 *Halei.*
 821 Pygmæum. *Mig.* 4. 117

LXXI. LEPTURA. Fabr.

- 822 Luteicornis, Fabr. *S. passim*
 823 Cincta, K. *Mig.* 4. 121
 Lateralis.
 824 Pubera. *S. passim* *S. J. 5. 279. 3*
 825 Nigra. *nigrella* *S. J. 5. 279. 2.*
 826 Castaneæ pumilæ.
 Rubrica, K. *S. passim*
 827 Deusta.
 828 Nitens, Forster. *Zebra* *ta* *K. Carolin.*
 829 Limbata, Line. *Mig.* 4. 121.
 830 4 punctata.
 831 Vittata, Helwig. *S. passim.* *tate.*
 832 Lineola, K. *passim.* *Say*
 Marginata.
 833 Scutellum album, K. *luzubris.* *S.*
 834 4 maculata. *unata* *K. Mig.* 4. 124
 Disjuncta, K.
 835 Thoracica. *Mig.* 4. 122
 836 Americana.
 837 Bicolor., *Say*
 838 Necydaloïdes, K.
 839 4 fasciata. *Mig.* 4. 125
 840 Chalibæa, K.
 Rufipes.
 841 ~~Lateralis~~
 Cruentata, K.
 842 Collaris, *ruficollis.* *Say*
 α *binaculata* *He.*
 β *unicolor* *Ab.*
 γ *coerulea* *M. (Chloraeum).* *Phe. cyanip.*
 δ *leptoseri*

LXXII. DONACIA. Fabr.

- 843 Aenea, K. ~~palmata Oliv~~ S.
 844 Arundinis.
 Metallica, K. ~~Say. Amer. S. f. 5.~~ 283
 845 4 notata. ~~Orsodachna~~
 846 Indica.
 847 Cuprea. — ~~Orsodachna~~
 848 Obscura, ~~Orsodachna~~
 Atra, K.
 849 Fusca, K. ~~Orsodachna~~
 850 Testacea. ~~Orsodachn. hepatica~~ S. J. 281. 2
 851 Bilineata. ~~Orsodachna~~
 852 Nitida. ~~palmata Oliv. Say. Amer. S. 43~~
 & Bicolor J. M.

LXXIII. MÖLORCHUS. Fabr.

- 853 Pensylvanicus. ~~Stict. sayi calci~~ sayi calci day
 854 Bimaculatus, K. S. ~~sayi~~
 ~~Oeclomeria Oliv. Lat.~~

LXXIV. NECYDALIS. Fabr.

- 855 Abbreviata.
 856 Fraxini. ~~Buntheris Frey.~~ S.
 857 Thoracica.
 Ruficollis, K. S.
 858 Macula. ~~functicollis~~ S.
 & unicolor M.

LXXV. LAMPYRIS. Lin. Fabr.

- 859 Versicolor, Fabr. S.
 Marginata, Panzer.
 860 Corusca, Fabr. S.
 861 Pyralis, Fabr. scintillans S.
 & Laticornis F.
 S. blytheata ex Vig.
 y Morris
 & obscurata eadem 870 obscura Fabr. Shoemaker. 11. 14
 & Bimaculata

Say. Amer. S. 283. no 3
+ the hepatica in a var. of the Ors. vitata. S.
Hewitt's S. J. 5. 293. no 4.

862 Luciferia.

863 Cincta.

Marginella, Helwig.

864 Limbata. *centrata* Say J. S. 163. no 3865 Marginata, Helwig. *angulata* S. J. S.

866 Atra, Fabr.

867 Arcuata, K. ~~angulata~~. S:
Autumnalis.

868 4 maculata, K.

869 Thoracica.

870 Nigricans. S:

871 Nigra, K.

872 Pubescens.

Limbalis, K.

873 Ruficollis, K. Say J. A. N. S. V. 5. p. 162. no

K Rosata Germana

XXVI. PYROCHROA. Geoff.

874 Thoracica. *Denck: Canadensis* Latr.875 Flabellata, Fabr. *pepsi*876 Ruficollis, K. *Mystaxus* Hugel:877 Monilis, K. *Mystaxus* Hugel.& *haemorrhoicus* (All. *mystax*)

LXXVII. LYCUS. Fabr.

878 Reticulatus.

Pirochroa reticulata, Fabr.

879 Coccinatus, K. *Omalibus coccin:* S.880 Ruber. *coccus* S. *Omal. mundus* S.881 Pectinicornis, K. *Omal. Lycus. Pectinus*882 Humeralis. *Omal. Lycus humeralis*883 Lateralis, K. *Omal. Lycus obliquus* S.& *Humeralis*

884 Pleurites, K. *ornal.* *Sculptilis* S.

885 Elevatus.

& marginatus

LXXVIII. LYMEXYLON.

886 Cylindricum, K. *Hylaeetus*

887 Rufipes.

Aeneum, K. *Lytta**& minutum*

LXXIX. DRYOPS.

888 Præusta, Olivier.

LXXX. CUCUIUS. Fabr.

889 Depressus, Fabr. *rufus* Oliv. Fabr. *hafsim*890 Fuscus, K. *Brontes dubia* Fabr et fabr891 Testaceus. *C. modestus* Say J. S. 268. 2892 Biguttatus, K. *S. hafsim* Say J. S. 267. 1

893 Fasciatus. —

894 Cæruleus, Paik & Illig 3. 174. 4. 1

Pytho, Fabr.

895 Nigrinus.

& monilis nob.

LXXXI. CANTHARIS. Lin. Fabr.

896 Bimaculata, Fabr.

897 Limbata. *brunneocollis* *re marginata* S.898 Marginalis, K. *bilineatus* S.

899 Cincta, K.

900 Abbreviata. *Malthinus latiferinus* (Spus Ind. no. 123) *Germar*Hemiptera, Helwig. *M. marginalis* Say901 Serraticornis, K. *Malthinus*902 Obscura, Fabr. *Carolina* S.903 Angusticollis, Helwig. *diaelema* S.856 *Fraxini* S.*& Tricostatus* Harris. Say*& Rotundicollis* Say J. S. N. 8. 5. 166. no 2*& Parallelia* Say J. S. 166 no 5

- 904 Rufipes. &
 905 Fraxini. nigripennis F. littoralis Germ.
 906 Marginata: eadem 904
 907 Pensylvanica, K. Cadilensis &
 908 Ruficollis.
 Tomentosa, K. Say. J.A.N.S. 5. 165 /
 909 Bilineata.
 910 Rubricollis.

LXXXII. MALACHIUS. Fabr.

- 911 Serricornis, K.
 912 4 maculatus. Fabr. 8.
 913 Thoracicus. nigripennis & otiosus 8.
 914 Nigricollis, K. Scincetus & J. 5. 170.
 915 Minutus.
 916 Labiatus. ~~Fabr.~~ ^{lms} ~~pasillus~~ florula
^{8. 5. 16.}
^{& pasillus 8. J. 5. 20. 2. B. terminalis 8. J. 5. 17.}

LXXXIII. ELATER.

- 917 Oculatus, Fabr.
 918 Aterrimus. Morio Fabr. Say, Herbst
 919 Laccatus, K. leucostomus? Fabr.
 920 Lævigatus, K. Fabr. Seeger L.
 921 Attenuatus, K. Say
 922 Memnonius, K. nemonius Herbst
 923 Procerus. pyrrhos Say, Herbst. Dij.
 924 Tesselatus.
 925 Melanophthalmus.
 926 Bicolor. = abdominalis L. Erickson.
 927 Nigricans ~~K. Aethiops~~, Herbst. nigrae,
 928 Testaceus.
 929 Longicornis, K.

^{A querens} brevioculis Herbst. Scingulatus dorsalis Say
^{B pubescens} ^{C bivittatus} ^{D variabilis} ^{E signata} ^{F corticola}

- 930 Bellus, K. — *Say*
 931 Nimbatus, K.
 932 Pilosellus. ^{inguinatus S. primilobus} ~~cucumberfusus~~ *Gmelin*
 933 Serraticornis, K. = *americanicornis*
 934 Tenellus, K.
 935 Bimaculatus. *cinctutus* *K.* = *Americanus* *Dy*
 936 Cruciatus. —
 937 Nitidus.
 938 Rufipes.
 939 Quercicola.
 940 Glabrus. *Tornax cylindricollis* *Say*
 941 Unicolor.
 942 Angulatus, K. *Say. parallelus. sulcicollis* *S*
 943 Canus.
 Mucidus, K. *Schwenk. Say. Knob.*
 944 Lepturus, K. *Herbst*
 945 Strigatus: *Herbst*
 946 Tomentosus. = *heterocerus*
 947 Americanus, K.
 948 Viridis.
 949 Piceus = *abruptus*. *S*
 950 Aethiops, K.
 951 Ater. *sticticus* *Herbst*
 952 Rubricollis. *Herbst. Say*
 953 Collaris, K. *Say* = *thoracicus*, *Herbst*
 954 Vulgaris. *communis* *Schoenherr*.
 Pilosus, K.
 955 Lateralis. *discoides* *Gehr. Schoenherr*
 956 Limbalis, Helwig. *Schoenherr, Herbst*,
 957 Procericollis, K.
 8 dorsalis *H. Say*

x rufus
 λ obsoletus
 μ obscurus
 ν areolatus

o. aurifilis *Say*
 η latifasciatus. dimidiatus n.
 ρ guttatus

- 958 Nigricollis. Herbst, Schuen. Say
 959 Rufifrons. humatus Fabr. discoloratus
 960 Nigricornis. ^{Scutellata}
 961 Deustus. variety of 958 ^{Cinctus Say lugubris}
 962 Sanguineus. sanguinipennis Say
 963 Viridanus. Say &c
 964 Terminatus, K.
 965 Humeralis. — ^{binotatus} K.
 966 Villosus.
 Corticinus, K. Say
 967 Microcephalus. gigantes K.
 968 Silaceus, K. Say. Dejean
 969 Umbraticus, K. Say. Dejean
 970 Truncatus ^{obesus?} Say
 971 Plebejus. Say
 972 Fumatus, K.
 973 Ruficollis, K.
 974 Metallicus, K.
 975 Crassicollis.
 976 Fuscus.
 977 Quercinus. Say. striatus K.
 978 Trilineatus, K.
 979 Instabilis, K.
 980 Rubricus. = auritus Herbst. Schuen
 981 Cruciger, K. vespertinus Fabr.
 982 Cylindriformis, K. Say
 983 Fuscipes, Fabr. ^{hemicrodes} Say
 984 Oblongicollis, K.
 985 Tristis.
 Badius, K.
 986 Trivittatus.

o. aurifilis Say

- 987 Maculatus.
- 988 Aereus.
- 989 Hirticollis, K.
- 990 Erytropus. *Say. fumarius* Th.
- 991 Melanurus.
- 992 Sericeus.
- 993 Dentatus.
- Ochraceus, K. *cobatus, Say.*
- 994 Longicollis.
- 995 Striatulus. —
- 996 Latifasciatus.
- 997 Undatus. *marmoratus* Fabr.

LXXXIV. BUPRESTIS.

- 998 Lurida, Fabr.
- 999 Maculata.
- 1000 Lineata, Fabr. —
- 1001 Aenea.
- 1002 Chrysea.
- 1003 Impressa.
- Insculpta, Helwig.
- 1004 Cuprea. *Baltimorens, Herbst*
- 1005 Characteristica. *dentipes, Germar.*
- 1006 Aurata, K. *argenteata, Gray*
- 1007 Ornata, Fabr.
- 1008 Thoracica.
- Cogitans, Helwig.
- 1009 Bilineata, Helwig.
- 1010 Maculata, K.
- 1011 4 maculata.
- Virginiana Herbst Virginica Gray*
- libertina Germar var. prae-*
- rufipes Oliv. Fabr. Say*
- fasciata Herbst Fabr. Oliv. Say*

- 1012 Aurita, K.
 1013 Punctata.
 1014 Stigmata. *lunulae & lunulae*
 1015 Bifasciata.
 1016 Viridis.
 1017 Undata. —
 1018 Nitida.
 1019 Tenella, K.
 1020 Pedicularis, Fabr.
 1021 Aerosa, K. *ovata*
 1022 Vulgaris.
 Aeraria. repellens, fulv.
 1023 Minuta.
 1024 Cerulea. —
 1025 Aerea, K.
 1026 Ruficollis, K.
 1027 Obscura.
 1028 Striata.
 1029 Notata.
 Uniguttata, K.

V(225) acutifloris Dij. Gant. (tinct. Siccio)

LXXXV. CICINDELA. Lin.

- Kij. 5. 205. 7
 1030 Virginica, Fabr. (*Megacephala*)
 1031 6 guttata, Fabr. (*Quata* Dij)
 1032 Trifasciata, Fabr. *Vulgaris* Sey.
 1033 Unipunctata, Fabr. *purpurea* Lin.
 1034 Ramosa, K. *purpurea* Oliv. *F. meringi*
 1035 Obscura. *punctulata* Oliv. *F. mican*
 1036 Interpunctata. *hirsutella* S. *albida*
 1037 Marginata.

LXXXVI. ELAPHRUS.

- 1038 Riparius, Fabr. *rusearius* S. - *Americanus*
 1039 Semistriatus, Fabr. *Say = aquaticus*, Say
Notiph. fornicatus, Say.

LXXXVII. HYDROPHILUS. Lin.

- 1040 Ater, Fabr? *tuangularis* S. H.
 1041 Carabæoides, Fabr. *obtusatus* S.
 1042 Opacus.
 1043 Limbatus. *Nimbatus* Say - *lateralis* Fab.
Dytiscoides, K. x melanurus?
 1044 Natator, K. x *S. H. glaber*, Herbst
 1045 Globosus, K. x *S. H.*
 1046 Marginalis. —
 1047 Cinctus, K. + *S. H.*
 1048 Fuscus. *Variety 1049*
 1049 Nebulosus. *Say*
Labiatus, K. variety of 1048
 1050 Minutus. *subcupreus* Say J. 5. 189 no. 4. *Minutus H.*
 1051 Marginatus.
 1052 Striatus. *S. H. est Berousus*
 1053 Luridus, K.
 1054 Auritus. *est Berousus. H. peregrinus* (H. peregrinus)
 1055 Fimbriatus.
Lateralis, K.
 1056 Gagathes. —
 1057 Politus. —
 1058 Pusillus.

LXXXVIII. DYTISCUS. *Geoffroy*

- 1059 Limbatus, Fabr.
 Fimbriolatus, K. *Say et habem*
 α *Subcinctus. Nob.*
 β *The true 1061. M.*
 ε *Fontanus*
 δ *Fimbriatus J. U. Georgia*

Colymbetes

- 1060 Undatus. *Hix fraternus* Harris
 1061 Stagninus, K. omnes
 1062 Fenestralis, K. omnes
 1063 Erytropterus. — omnes
 1064 Gagathes, K. x Dejean *Water Beetles*
 1065 Nimbatus, K. x
 1066 Ater.
 1067 Nitidus.
 1068 Pictus. — *interruptus*, Fabr.
 1069 Cinctus, K.
 Rufipes.
 1070 Irroratus, K.

Lacophilus

- 1071 Maculosus, K. x omnes Germar.
 1072 Striatus.
 Glypticus, K.

- 1073 Pulchellus. *Hydrocanthus iricolor* Say
 pubipennis, Say, 1074 Undulatus. ~~x~~ *undulatus* Day, Say
 1075 Niger.
 1076 Ruficornis.

- 1077 Lacustris, K.
 1078 Fusculus, K. —

12. punctatus, Say, 1079 Maculatus, Fabr. Dejean Say
 1080 Nigricans.

- 1081 Rufus.
liberus Say. Jour. A. N. S. v. 5. page 16c no. 1

LXXXI. GYRINUS. Linin.

- 1082 Suave olens.
 Neptunus, K. x omnes. *vittatus* Germ.
 1083 Bicolor.
 Americanus, K. x Fabr.
 1084 Borealis, K. x

- 1085 *Dichrus*, K.
1086 *Longimanus*.

XC. CARABUS.

a Majores.

- 1087 *Scrutator*, Fabr.
 1088 *Calidus*, Fabr. } *Calosoma* Heber
^{Pangus Zug}
^{ger}
^{ovinebus}
 1089 *Politus*, Fabr. *caliginosus* Fabr. omnes
 1090 *Granulatus*, Fabr. *virgatus* Web. interrupt. 8
 1091 *Purpuratus*, K. *lindatius* Say = Gorgi Dej.
 1092 *Silvorus*, K. Say. Dejean L
 Lateralis.
 1093 *Catenatus*. *Serratus* Say. *lineatus* ^{Lyzium} *unstictus*
^{Asionachus}
^{Diadecus}
 1094 *Depressus*. omnes. *Scarites* *depressus* Fabr.
 1095 *Dilatatus*. L. et *hispinus*
concentricus L. *limbatus* Say
 b Minores.

Galerita

- 1096 *Americanus*, Fabr. *hispinus* James
 1097 *Pensylvanicus*, K. *nemoralis* S. Dej.
 1098 *Amethystinus*, Fabr. *nemoralis* S. Dej.
^{Chlaenius}
^{Harpalus}
 1099 *Sericeus*, Olivier. *fuscator*
 1100 *Auricularius*. } *bicolor* Fabr. L
Octraceicornis, K. }

Chlaenius

- 1101 *Furvus*, K.
 1102 *Stygicus*, K.
 1103 *Coracinus*, K.
^{Chlaenius}
^{Brechinus}
 1104 *Tomentosus*, Helwig. *fuscator*, *Eunicus* *tenuis*
 1105 *Fumans*, Fabr. *hispinus*
 1106 *Gagathes*. Dej. *decoloratus* Say
 1107 *Capito*, K.
^{Ecilus}
 1108 *Lucublandus*, K. S. *hispinus*

Dig
Ligatus *Gamma* *extensus*
Calosoma *longipenne* Say
extensus *Exoticus* Say

- 1109 Chalcites, Helwig.
- 1110 Latithoracicus.
- 1111 Fuscicornis, K.
- 1112 Punctatulus. *obscurus niger* *Lej.*
- Anisodactylus*
- 1113 Adoxus, K.
- 1114 Carbonarius. *Say & Safrin*
- 1115 Assimilis, Paik. *descriptus* *Lej.*
- Pectobius*
- 1116 Fulvus, K. —
- 1117 Longicornis. *Say. Lej.*
- 1118 Humeralis.
- Lymindis*
- Scapularis, K.
- 1119 Pilosus. *Say. palpin*, *Pubescens* *Dej.*
- Anisodactylus*
- 1120 Baltimoriensis. *Say et Safrin*
- Ophonus*
- 1121 Erytrocephalus, K. *interstitialis* *Dej.*
- 1122 Obscurus.
- 1123 Terminatus, K.
- 1124 Peltatus, K. *collare* *Say*
- Amaia*
- 1125 Smaragdulus. *basillaris* *Say*
- Lebie*
- 1126 Vittatus, Fabr. *S. palpin*
- 1127 Undulatus. *pulchellus* *Dej.*
- Panagaeus*
- 1128 Fasciatus. — *Say palpin*
- 1129 4 notatus, K. * *ornatus* *Say*
- 1130 Prasinocephalus, K.
- Sanguineicollis.
- Lebie*
- 1131 Thoracicus. *atriventris* *S. palpin*
- Coptoderes*
- 1132 Cyaneus, K. *vireo viridis* *Say. Lej.*
- 1133 Viridicollis. *erata* *Dej.*
- 1134 Flavidus.
- 1135 Ligatus, Helwig.
- 1136 Cyanites, K.
- 1137 Melanocephalus. —

The *Lebie analis* in *dark Dej.* is distinct from the present

- 1138 Metallicus. *cubrichinus* Say *Dej.*
 1139 Trifasciatus, K.
 1140 Furcatus, Fabr.
 Lineola, Olivier.
 1141 Parmatus, K. *& Dejean*
~~Calicula Dej.~~ 1142 Prasinus. *steidiennis* Say, *marginalis*, *Dej.*
 1143 Cincticollis, K. *plasticus* Say, *complementa*.
 1144 Costalis.
 Limbatus, K. *Dejean*
 1145 Ovatus.
~~Agonoder.~~ 1146 Ochropezus, Helw. *infuscatus* *Dejean*
 1147 Aeneolus, K. *femoratum* *Dejean*
 1148 Aereus, K. *ostreola* *aerata*.
 1149 Atratus, K.
 1150 Extensicollis. *See. 114*
 1151 Tibialis.
 1152 Ruricola.
 1153 Autumnalis, K.
 1154 Cœnus, K.
 1155 Fimbriolatus, K.
 1156 Cursor.
~~Harpalus~~ 1157 Herbivagus, K. *& annulif*
 1158 Proditus.
 1159 Brevicornis.
 1160 Proletarius, K. *musculus* *Say, Dejean*
 1161 Nigrocapillaris.
 1162 Opacus.
 1163 Tripunctatus, K.
 1164 Rusticus. *Dejean. Say*
 1165 Ruralis, K.

1166 Terricola.—

1167 Nasutus.—

Eusnonia L. t. 1168 Brentoides, Helw. *Pennsylvaniae*

1169 Faunus, K.

Crotacanthus 1170 Silenus, K. *Silensis* ^{Ponti & Evansie} Knobl. Dejean

1171 Marginatus.

1172 Vulgarius, K. *infuscatus* L. v. ¹⁸⁰⁹

1173 Truncatus.

Agrestis, K.

1174 Bicoloratus.

1175 Contaminatus.

1176 Corticola. *Piceosus* ^{Bonaparte} *Pressus*, K.

1177 Gregarius, K. ^{Day. Day.}

1178 4 vittatus. *Leb. quadriannulata* ^{Dej.}

1179 Striatulus.

1180 8 guttatus.

1181 Trivialis.

1182 Puber. *Celer* ^{sofimolens} Kn.

1183 Brevicollis.

1184 Notatus.—

1185 Celer.

1186 Nigricans.

1187 4 maculatus.

1188 Vulgaris.

1189 Niger.

1190 Limbatus.— *Arg. brachatum* ^{Day.}

XCI. CICHRUS. Fabr.

1191 Unicolor; Fabr. *vittatus* ^{Day.}

Sphaeroderus L. 1192 Stenostomus, K. *Weber* *papini*

XCII. TACHYS. *Sin.*

- 1193 Aereus, K. ~~variolosus~~ honestum Say
 1194 Niger. *Sin.* K.
 1195 Arenarius.
 1196 4 guttatus, K.
 1197 Rufipes.
 1198 Furvus.—
 1199 Terminatus.
 1200 Pallidus, K.
 1201 4 notatus.
 1202 Bifasciatus.
 1203 Flavipes.
 1204 Analis, K.
 1205 Binotatus, K.
 1206 Brunneus, K.
 1207 Fasciatus.

XCIII. SCARITES. *Fab.*

- 1208 Subterraneus, Fabr. *papim*
 1209 4 maculatus. *maculata* Say
 1210 Bipustulatus, K. *nd. huc.*
 1211 Viridis. *sayi*. *virens* Say
61 Pilosus, K.
 1212 Brunneus, K. *pallida* S.
 1213 Trilineatus. *lineolata* Say
61 Globulus, K. *globulus* Say. *humilis* Dej.

XCIV. TENEBRIOS. *Zinn. Fab.*

- Molitor, Fabr. *pahim*
 1215 Aeruginosus, K. *reflexus* Say J. 5. 203. 1

- 1217 Chrysops. *Pennsylvanicus* De Geer, *nat*
Upis chrysops, Herbst. *Nig.* 11. 341.
- 1218 Brunneus, K. *culinaris?* Fabr. *M.* 3. 153.
- 1219 Coracinus, K. variet *1222*
- 1220 Ochraceus. *maculatus* Germar.
- 1221 Badius, K. et palpim.
- 1222 Rufipes. *Say et Ibrahim* *Mig.* 11. 344. *say*
- 1223 Depressus. *castaneus* K. N. Beil. *intestinellus*
- 1224 Piceus.
- anthracinus*, K. 1225 Nigricans, K. *saperdoides*. Oliv. *Spinius* *J.*
- 1226 Fulvipes. (*Trogoxiphia*) *femorata* Fab. et *fr*
Upis fulvipes, Herbst. *page* 148. 2
- 1227 Foveolatus, K. *Upis perforata* Germar.
- 1228 Impressus. *culinaris* Fab. Herbst.
- 1229 Aereus.
& obsoletus. & barbatus Oliv. N. Beil.

XCV. SERROPALPUS.

- 1230 Coriarius.
- 1231 Canaliculatus. *sticticus*, Say *leucandrus*
Helops canaliculatus, Fab.
- 1232 Thoracicus.
- 1233 Umbrinus, K.
- 1234 Fuscus, K.
- 1235 Impressus, K. *eland. labiate*, Say

XCVI. HELOPS. Fabr.

- 1236 Metallicus. *micans* Fab. *vittatus* Oliv.
- 1237 Ovatus. *H. ciotoloides* Germ. p. 159. 261
- 1238 Aereus. Germar. p. 160. 263
- 1239 Convexus, K.
- 1240 Pullus, K. Say J. 5. page 240 no 1

XCVII. TROGOSITA. Fabr.

- 1241 Virescens, Fabr. et ~~pasim~~
 1242 Castanea, K.
 1243 Corticalis.
 1244 Cinnamomea, K. & et ~~pasim~~
 1245 Bimaculata.
 & ^{Nigra} ~~fusca~~ ^{alba}
 & ^{Nigra} ~~fusca~~

XCVIII. MELOE. Linne

- 1246 Proscarabæus, Fabr. Americanus. Lach
 & angusticollis. §

XCIX. LYTTA.* Fabr

- 1247 Marginata, Fabr. ~~pasim~~
 1248 Vittata, Fabr. ~~pasim~~
 1249 Cinerea, Fabr. ~~pasim~~
 1250 Atrata, Fabr. ~~pasim~~
 & ^{Cinerea 878} §

C. MORDELLA. Linne

- 1251 8 punctata, Fabr. ~~pasim~~
 1252 Nigra. nigerrima Mac Leay. melena Germ
 1253 Fasciata, Fabr. Illig. 3. 1781. caerulea §
 1254 Axillaris, K.
 1255 Thoracica. Illig. 3. 1781. marginalis §
 Collaris, K.
 1256 Trifasciata, K. Say f. 5. 243. no 1
 1257 Undulata, K. ~~variolosa~~ §
 1258 Marginata.

* Species hujus generis tres priores promittunt
 vires vesicatorias.

- 1259 Limbata.
 1260 Litrata, K. —
 1261 Marginalis, K.
 Erytrocephala.
 1262 Bifasciata.
 1263 Nigricans.
 1264 Atrata.
 1265 Humeralis. *Mieg 3. 178. 2.* *Dinophorus*
 1266 Lineata.
 1267 Sericea.—
 1268 Rufa. *Anaspis rufa Say J. 5. 244.*
 1269 Bimaculata. *Scaphularis S.*
 1270 Fusca.
 Ceropeltis M. biocellata Say

CI. RIPIPHORUS. *Bosc*

- 1271 Limbatus. *pasini*
 Mordella limbata, Fabr.
 1272 Fasciatus.
 1273 Plumatus, K. *tristis?* *Fabr.*
 1274 Bicolor. *S.*
 1275 Pectinatus, K.
 1276 Thoracicus.
 1277 Niger.
 1278 Maxillosus.
 1279 Bifasciatus. *an pectinatus Fabr?*
 Brevitarsis Germar. Insect Spec. p. 168. n.

CII. STAPHYLINUS. *Linné*

- 1280 Maxillosus, Fabr.
 Villosus, K. Grav.
 1281 Maculosus, K. *obliquatus Fab.*
 1282 Cingulatus, K. *Gravenh. pas.*

P. bicolor M.

Xanthocollis J. M.

Elytrocyclinus J. M.
+ attenuata Say J. 5. 243. no. 2

Anaspis Gmel.
& thoracicae J. M.

Dorithesia Lat.
fasciata Say

Fam. IV Grav.

Fam. II

- 1283 Bimaculatus. = *fossator*. Gravt.
 1284 Rufus.
 11 Fam. 1285 Cyanopterus, K. *cyanipennis* Fabr. fragm.
 1286 Cinnamopterus, K. Gravt.
 1287 Purpurascens.
 Violaceus, K.
 1288 Tomentosus, K.
 11 Fam. 1289 Ater. Gravt. 112. n. 120. S.
 1290 Metallicus. = *cuprinus*. K. Gravt.
 1291 Nigrinus.
 1292 Elegans, K.
 1293 Ruficollis. = *laetulus* Say
 1294 Tricolor. ~~incundus~~ Say
 1295 Sanguineicollis.
 Nitens, K. = *sericans*. Gravt.
 1296 Melanocephalus.
 1297 Politus, Fabr. ~~antennatus~~ & lost
 1298 Dimidiatus. ~~incundus~~ Say
 1299 Emmesus, K. Gravt.
 1300 Thoraciclus.
 1301 Pallipes.
 1302 Hæmorrhoidalis.
 1303 Extensus. ~~antennatus~~ & lost
 1304 Marginalis.
 1305 Palliatus, K.
 1306 Cinctutus.
 1307 Fulvipes, K.
 1308 Fuscicornis. ~~hamatus~~ S.
 1309 Brunneus. K. Gravt.
 1310 Sanguinolentus.
 1311 Aeneicollis.
 ~~laetulus~~ Say
 blaudus Gravt.

58

- 1312 Bicolor, K.
1313 Angusticollis, K.
1314 Pulchellus.
1315 Hæmorrhœus.

CHI. OXYPORUS. *Sab.*

- 1316 Maxillosus.
Major, K.
1317 Marginalis. *vittatus*. Gr.
1318 Bipustulatus. *lateralis* Gr.
1319 Cinctus, K. *Gravenh.* Grav.
1320 Fasciatus.

CIV. TACHYPORUS. *Grav.*

- 1321 Niger.
1322 Boleti. *fimbriatus* Grav.
1323 Crassus, K. *Grav.*
1324 Memnonius, K. *Grav.*
1325 Humeralis.
1326 Vittatus. *axillaris*. St. Grav.
1327 Cinctus, K. *Grav.* = *atricaudatus*
1328 Striatus.
1329 Marginalis.
1330 Lateralis.
1331 Cingulatus. = *moestus*. S.
1332 Ruficornis.
1333 Corticinus. *axillaris*? Grav.
1334 Atratus.

CV. PAEDERUS. *Feb.*

- 1335 Bicolor, K.

- 1336 Pallipes. *Lathrobium cinctum* Say
 1337 Badius, K.
 1338 Melanocephalus.
 1339 Riparius, Fabr.
 Littorarius, K. *Gravenhorst*.
 1340 Brevicornis.
 1341 Filiformis.
 1342 Limbatus.
 1343 Latipes, K.

CVI. LAESTRIS. *Kn. Ms. Stenus Tab.*

- 1344 Rugosus. = *Oxyphorus calatus* Gr.
 1345 Fuscipes, K.
 1346 Opacus. *Nitid.*

CVII. ALEOCHARA. *Kn. Ms.*

- 1347 Lata, K.
 1348 Bimaculata, K.
 1349 Sculpta. = *S. pictus* Graw.
 1350 Insignita, K. *Graw.*
 1351 Erytroptera.
 1352 Fasciata.
 1353 Boleti.
 1354 Globosa.
 1355 Rufa.
 1356 Pedicularis.
 1357 Rufipes.

CVIII. ANTHOPHAGUS.

- 1358 Canalicularis. = *brunneus?* f
 K.

CIX. CREMASTOCHEILUS,
1359 Castaneæ.

CX. SANDALUS, K.

1360 Coriarius. niget. Kn.

1361 Fuscus. petrophaga Kn.
 α ~~Contectus nob.~~
 β ~~Moraceus nob.~~

CXI. CHLAMYS, K.

1362 Tuberosa. \star plieata, gibbosa,

1363 Foveolata. ~~Heter. Fab.~~

Sanguiria Latr.

γ bicolor Freyst. bicolor. Fabr. Sanguinib.

α Mezardii Latr. Say - A. E. III

β trifasciata Say - A. E. III

E R R A T A.

Eleutrita, lege Eleuterata.

378 Oculata, lege Ocellata.

841 dele lateralis.

New genera

between 85 & 86 *Megacephala* Latr

virginica, Caroline
Colliuris Latr. *Collypis* F.
Casuarina Latr
Galerita Fabr.
Brachinus Weber
Hoelluo Bonelli
Blochionus Dej:
Cymindis Latr.

Dromius Bon
Calleida Dej

Sebia Latr

Clytina Latr.

Sphaeroderus Dej

Scaphinotus Dej

Carabus L.

Calosoma Weber

Nebria Latr

Omphax

Nothiophilus Dumeril

Oodes Bon.

Chlaenius. Bon.

Premnas. Latr.

Dicelius. Bon.

Panagaeus. Latr.

Patrobus. Megerle

Calethrus. Bon.

Pristodactyla. Dej.

Platyneus. Bon.

Anchomenus. Bon.

Agonum. Bon.

Seronia. Latr. Poecilus. Bon.

— *Argutor. Meger.*

— *Amaseus Ziegler*

Feronia Pterostichus Bon.

Alyas Ziegler.

Amara Bon. Leirud. Megerl:

Amara proper

Daptus Fischer.

Agonoderus Dej.

Harpalus Letr. Parcus Fischer.

— *Anisodactylus Dej.*

— *Ophonus Ziegler.*

Harpalus proper

Stenolephus. Megerle.

Stenophalus. Letr.

Bembidium. Letr.

Between 88 & 89 *Dyticus Silius* Leach

— *Hydaticus* Leach.

— *Golymbetes* Clairville

Laevophilus Leach

Noterus Clairv.

Hydroporus Clairv.

Hyphydrus Latr. Illig *Hedraehna* Fab

Haliplex Latr. *Eremidotus* Illig

Between 102 & 104 *Xantholinus* Dahl.

Lathrobium Graw.

Between 105 & 106 *Prugilus* Leach

Omalium G.

Molosoma Say

Between 107 & 109 *Tachinus* G.

Tachinus

Oxytelus G.

Sternus Latr.

Pterophilus G.

Between 84 & 85 *Agrilus*, Megerle.

Trachys. Fabr.

— *Metonius*. Say.

Aphanisticus Latr.

Allardia Olivier

3.82 & 83 *Eucnemis* Ahrens
Elater Taphocerus

3.83.884 — *Camptulus* Fisher

— *Nothora*

— *Lipomus* Delmier, *Drapetes* Megerle

B.74.-75 *Anelastes* *Lester Kirby*
Physodactylus. *Fischer*
Ptyodactylus. *Illig*
Dascillus *Latr.* *Stopa* *Payk.* *Fab.* *Illig*
Elocles *Latr.* *Cyphon* *Payk.* *Fab.* *Illig*

Scirtes *Latr.*

Omalisus *Geoffroy*

Phenogales *Hoffmannsegg*

B.81 L *Melithinus* *Latr.*
Dasytes *Payk.*

Drilus *Oliv.* *Latr.*
1367. *pectinicornis*.
1368. *pubescens*.
1369. *Tudens*.
1370. *Niger*.
Gibbum *Scopoli* *Latr.*
& convexum *J. M.*

Ptilinus *Geoffroy*
& unicolor *J. M.*
pruinosus *Graec.* III. 157

fone 60 *Cupes* Fabr. Latr.
a capitate Fabr. *B cinerea* Say
Mastigus Illig. Latr.

Eriophleum Latr.

Trichodes Fabr. Clerus Latr.

Clerus Fabr.

Tillus Fabr.

Ophiolatris notatus Fabr. *Eupocus* Illig

Priocera Kirby

Necrobia Latr. *Corynetes* Fabr. Illig

Hister Lin. Fabr.

Platysoma Leach

Heololepta Paykull

Necrodes Leach

Peltis Fabr.

Thymalus Latr.

Cercus Latr. *Catheretes* Herbst

Engis Fabr. *Dacne* Latr.

Catops. Payk. Fabr. *Coleva* Latr. *Pteromorphus* Kr.

Megatoma Herbst. *Attagenus* Latr.

Nosodendron Latr.

Hydrochus Germar

Berossus Leach

Spercheus Fabr.

Hoyerobius Leach

{ *Elmis* Latr. *Linnius* Illig. *Phylodus* Dufresn.
 Sphenurus Frölich Naturf. St. 28
Hoyerovius Leach.

Steuchus Wehr. Fabr. *Asthenophorus* Kreuz.

Gynopseurus Illig: ex *Steuchi*: Fabr.

Sisyphus Latr. ex *Steuchi*. Fabr.

Onitis Fabr.

Onthophagus Latr ex *Cephalis* Fabr.

Coptis Geoffr. Fabr.

Phanaeus Macleay ex *Cox* Fabr.

Aphodius Illig

Sethrus Fabr. Oliv.

Geotrupes Latr. *Scarabaeus* Fabr.

Odontaeus ~~Ag~~ Liebler

Scarabaeus Latr. *Geotrupes* Fabr.

Palielnota ^{MacLay} Rutela Latr. no. 64

Rhisotrogus Latr. 67. 68. 66. 65. 82. 71. 73. 72. ~~X~~. β . Y

Sericia MacLay. 75. 74. 83. 80. ~~81~~. 4. ~

Anomala ^{megeple} 86. ~~S.~~ β . δ . γ . Y

Dichelonyx 81

Macrodaactyla Latr 77

Hoplia Illiger 84. X

Platycerus Latr. no 4. no. 5. no. 6

Upis Fabr. Herbst. Lat. 1216. 1217. 1225. 1229. 1226. 1227

B

Uloma Dej. 1218. 1220. 1224. 1228

Cosyphus

Beros Herbst. 212 a.

Tetratoma Fabr 373:

Eustrophus Illiger. 270. 279. 282. ~~283~~ 271

Dirceaa Fabr. *Serropalpus* Latr. 224. 222

Dinophorus Illig. *Hallomenus* Latr. *Dirceaa* Fabr.

221

Nilio Latr

Hypulus Payk.

Serropalpus Hellwig

Melanotria Fabr. 1231. 1232. 1233. 1234. 1235
Pytho Fabr.

Oedemera Oliv. *Necydalis* Fabr. 857
858. L.

Dendroides Latr. 874

Salpingus Germar

Apoderus Oliv. Latr.

Sitona Germar

Hadrromerus Schönh.

Otorhynchus Germ.

Liparus Oliv.

Larinus

Rhinobatus Germ.

Rhinoctonus Germ.

Plinthus Germ.

Erodilus Schönh.

Ballistium Illig

Baris Germ.

Hypereva Germ.

Coniatus Germ.

Tanyphyrus Germ.

Baeocera Germ.

Cryptosphyneus Illig.

Cionus Illig.

Tychius Germ.

Orcheses Illig.

anthonomus Germ.

Madarus Schönh.

Balaninus Germ.

Dorytomus Germ.

Noteris Germ.

Grypus Germ.

Lepyrus Germ.

Centosphyneus Schöpf. Germ.

Mononychus Schüppel.

Thamnocephalus Schöhn.

Saphindus Schöhn.

Pterocoleus Schöhn.

Apeium Herbst

Ithycerus Schreinb.

Archonodes Schöhn

Thylocetes Germ.

Aphrastus Sch.

Sitona Germ.

Hedionerus Ger

Listroderes Schöhn.

Baridius Schöhn

Naupactus

Cleonus

Liosphilus Germ.

Trechysphilus Germ.

Chrysolophus Germ.

Clerivina Germ.

Tanygnathus Germ.

Polydrusus Germ.

Cyphus

Entimus Germ.

Hypsonotus

Cylus

Sixus Fabr.

Calanthes Claireville Rhynchosporus Herbst

Gesponus Claire: Rhynchosorus Creutzer

*Postrichus Geoff Apate Feb. 132
133. 129. 130. 135. 137. L*

Tomicus Latr. 147. 149. 153. 158.

Hylesinus Fabr. 173

Scolytus 139

Cis Latr 170.172.

Prizophaeus Herbst

Bitoma Herbst 178.179.191.181.185.183 L

Monotoma Herbst 180

Silvanus Latr 196.197.199.200.

Dendrophagus Gyllenhal. oblongus.
Buerger oblongus Fabr.

Urota Latr Brontes Fabr. 890.891

Glytus Fabr 805.803.801.795.798.811.814.812
821

Acanthocinus Hoffmannsegg. 761. &c

Tetraopes 758 Schoenh. 759. 760

Monochamus Deg: 755.754.753 L

Medesia Megerle 735 &c

Gnoma Fabr. rugicollis
Stenopterus Illig

Leme Fabr. 530

Orodachna L. 531.851.845.848.850.536.532.541.

Coleuspis Fabr 473.479.

~~Prasocurus~~ Latr No 422.423

Alemonia Schrank & B V 537.539.540

Luperus 544

Triplax Payk: 291

Sanguinea Latr & B V. *Lusitania* Latr.

B fasciata f. al. ~~lutea~~ Vleutens Fabr.

Chelochorus 389.406

Scymnus Herbst. 403.396.399.402.405 &

2/5 - about $4\frac{1}{2}$ lines
11/20 - - - 7 "
9/20 - - - 5 "
3/5 - - - $7\frac{1}{4}$
7/20 - - - $3\frac{3}{4}$ - 4
1/5 - - - $2-2\frac{1}{3}$
3/10 - - - $2\frac{3}{4}$.
4/5 - - - 10 -
7/10 - - - $3\frac{1}{4}$.
3/20 - - - $1\frac{3}{4}$



A	C		
Sagittaria 13.23.	Elytra	-	24.
Stictica 21.38	Cistela	.	16.45
Stenochara 59.107.	Crioceris	.	25.46
Anthophagus 59	Cucujus	.	41.76
Apate 7.12	Cantharis	.	41.78
Anthrenus 8.14	Cicindela	.	46.72
Anobium 9.14.	Carabus	.	49.92
Anisotoma 12.22.	Cichrus	.	52
Attelabus 31.59	Cryptopsgus	.	10.20.
Anthribus 32.59	Colydium	.	10.17
	Cerculus	.	27.59
	Clerus	.	33.61
B	Cerambyx	.	34.64
Beotrichus 7.12	Callistium	.	37.68
Byrrhus 8.14	Claviger	.	109.
Bruchus 12.20	D		
Buprestis 45.83.	Dytiscus	.	47.85
Bolitophagus 16.108.	Diaperis	.	16.32
Brentus . 27	Danacia	.	39.72.
	Dryops	.	41.7%
	Dermeotes	.	6.11
	Drilus	.	109
C	E		
Cremastocheilus 68	Eumolpus	.	22.40
Chlamys . ib	Endomichus	.	26.49
Cetonia . 5.5.	Elater	.	42.80
Coccinella 19.33	Elaphrus	.	47.94
Capitula 20.36.	Elephorus	.	12.28
Chrysomela ib. 37.			
Cryptoccephalus 23.42			
Cyphon	- 75		

		M.
Galeruca	26. 17	Melolontha 4
Grypus	48	Nolochrus 39. 7
H.	6.	Malachius 42
Pestes	11. 19	Meloe 55. 5
Cyphophilus	11. 18	Mordella 55.
Paracassius	11. 18	Dicestophagus 14
Cyathophilus	47. 47	
Helops	57. 101	N.
Heispa	15. 30	Notoxus 33. 6
Heterocerus	85	Necydalis 39. 7
		Nicrophorus 16. 2
		Nitidula 17. 2

		I.
		14. 25
		O
Rhipiphorus	56. 1.	Orcheses 32
		Oxyproctus 58. 1
		Opatum 18. 3
L		
Laxia	26. 48.	
Lixta	55. 89	
Lamia	35. 15	P.
Leptura	38. 71.	Parus 16. 2
Lamphyris	39. 73.	Paedarus 58. 1
Lycus	40. 75	Papalus 1
Synemylon	41. 77	Ptomaphagus 11
Lucanus	1. 8	Ptinus 11. 28
Litus	9. 15	Pyrochroa 40. 77
Latridius	10. 14	Pselaphus 34. 62
Lepturis	59	Prionus 16
		Ptilodystyle 7
		Br.
		Praezium 36. 6
		Rhynchites 31. 66
		Rhynchophorus 25



	<i>S</i>
<i>Scarabaeus</i>	1 1
<i>Sphaericidium</i>	12.
<i>Strongilus</i>	16.
<i>Sandalus</i>	60
<i>Tenocorus</i>	34.
<i>Sapienta</i>	35.
<i>Scaphidium</i>	13
<i>Silpha</i>	17. 29
<i>Scarites</i>	53. 49.
<i>Seropalpus</i>	54. 01
<i>Taphylinus</i>	57. 100
<i>Thaumatochela</i>	100
<i>Stictica</i>	26

	<i>S</i>
<i>Tellus</i>	33 45.
<i>Trox</i>	4.
<i>Trichius</i>	5.
<i>Tachys</i>	53. 18.
<i>Tenebris</i>	53. 0.
<i>Trogorita</i>	55. 102.
<i>Tachysporus</i>	58. 105.
<i>Tritoma</i>	13. 12
<i>waterm</i>	

